

4

Check Valves, Filters & Accessories





CHECK VALVES - BRASS

TYPE: EUROPA

Part. no	Pressure	Connection	Description
EURO-3PB	25 BAR	3/8" BSP	Fem x Fem, ISO 228
EURO-4PB	25 BAR	1/2" BSP	Fem x Fem, ISO 228
EURO-6PB	25 BAR	3/4" BSP	Fem x Fem, ISO 228
EURO-8PB	25 BAR	1" BSP	Fem x Fem, ISO 228
EURO-10PB	18 BAR	1-1/4" BSP	Fem x Fem, ISO 228
EURO-12PB	18 BAR	1-1/2" BSP	Fem x Fem, ISO 228
EURO-16PB	18 BAR	2" BSP	Fem x Fem, ISO 228
EURO-20PB	12 BAR	2-1/2" BSP	Fem x Fem, ISO 228
EURO-24PB	12 BAR	3" BSP	Fem x Fem, ISO 228
EURO-32PB	12 BAR	4" BSP	Fem x Fem, ISO 228



FILTER FOR CHECK VALVES

TYPE: EUROPA

Part. no	Pressure	Connection	Description
EURO-F3	N/A	3/8" BSP	
EURO-F4	N/A	1/2" BSP	
EURO-F6	N/A	3/4" BSP	
EURO-F8	N/A	1" BSP	
EURO-F10	N/A	1-1/4" BSP	
EURO-F12	N/A	1-1/2" BSP	
EURO-F16	N/A	2" BSP	
EURO-F20	N/A	2-1/2" BSP	
EURO-F24	N/A	3" BSP	
EURO-F32	N/A	4" BSP	



CHECK VALVE - BRASS

TYPE: APOLLO 61-700 series

Part. no	Pressure	Connection	Description
61-701-01	17,2 BAR	1/4" NPT	Mini, 250 WOG, Soft seat
61-702-01	17,2 BAR	3/8" NPT	Mini, 250 WOG, Soft seat
61-703-01	17,2 BAR	1/2" NPT	Mini, 250 WOG, Soft seat
61-704-01	17,2 BAR	3/4" NPT	Mini, 250 WOG, Soft seat
61-705-01	17,2 BAR	1" NPT	Mini, 250 WOG, Soft seat

**SWING CHECK VALVE - BRASS**

TYPE: 130 SERIES

Part. no	Pressure	Connection	Description
SCV130-3PB	12 BAR	3/8" BSP	ISO 228, NBR seat
SCV130-4PB	12 BAR	1/2" BSP	ISO 228, NBR seat
SCV130-6PB	12 BAR	3/4" BSP	ISO 228, NBR seat
SCV130-8PB	12 BAR	1" BSP	ISO 228, NBR seat
SCV130-10PB	10 BAR	1-1/4" BSP	ISO 228, NBR seat
SCV130-12PB	10 BAR	1-1/2" BSP	ISO 228, NBR seat
SCV130-16PB	10 BAR	2" BSP	ISO 228, NBR seat
SCV130-20PB	8 BAR	2-1/2" BSP	ISO 228, Metal seat
SCV130-24PB	8 BAR	3" BSP	ISO 228, Metal seat
SCV130-32PB	8 BAR	4" BSP	ISO 228, Metal seat

**CHECK VALVE - BRASS**

TYPE: D-PRO V33 SERIES

Part. no	Pressure	Connection	Description
V33A-F-2N-3-B	206 BAR	1/8" NPT	Fem x Fem, 3 PSI Cracking
V33B-F-4N-3-B	206 BAR	1/4" NPT	Fem x Fem, 3 PSI Cracking
V33C-F-6N-3-B	206 BAR	3/8" NPT	Fem x Fem, 3 PSI Cracking
V33D-F-8N-3-B	206 BAR	1/2" NPT	Fem x Fem, 3 PSI Cracking
V33E-F-12N-3-B	103 BAR	3/4" NPT	Fem x Fem, 3 PSI Cracking
V33F-F-16N-3-S	103 BAR	1" NPT	Fem x Fem, 3 PSI Cracking

Cracking Pressure: 3 PSI standard, Option 1/3 - 1 - 10 - 5 - 50 PSI



Y-STRAINER - BRASS

TYPE: YS70 - 192 SERIES

Part. no	Pressure	Connection	Description
YS70-2PB	20 BAR	1/4" BSPP	Filter 35 Mesh
YS70-3PB	20 BAR	3/8" BSPP	Filter 35 Mesh
YS70-4PB	20 BAR	1/2" BSPP	Filter 35 Mesh
YS70-6PB	20 BAR	3/4" BSPP	Filter 35 Mesh
YS70-8PB	20 BAR	1" BSPP	Filter 35 Mesh
YS70-10PB	20 BAR	1-1/4" BSPP	Filter 35 Mesh
YS70-12PB	20 BAR	1-1/2" BSPP	Filter 35 Mesh
YS70-16PB	20 BAR	2" BSPP	Filter 35 Mesh
YS70-20PB	16 BAR	2-1/2" BSPP	Filter 21 Mesh
YS70-24PB	16 BAR	3" BSPP	Filter 21 Mesh
YS70-32PB	16 BAR	4" BSPP	Filter 21 Mesh



IN-LINE FILTER & T-FILTER BRASS

TYPE: D-PRO - V73 SERIES

Part. no	Pressure	Connection	Description
V73A-F-2N-15-B	206 BAR	1/8" NPT	In-Line, Fem x Fem, 15 Micron
V73B-F-4N-15-B	206 BAR	1/4" NPT	In-Line, Fem x Fem, 15 Micron
V73B-M-4N-15-B	206 BAR	1/4" NPT	In-Line, Male x Male, 15 Micron
V76A-F-2N-15-B	206 BAR	1/8" NPT	T-Filter, Fem x Fem, 15 Micron
V76A-F-4N-15-B	206 BAR	1/4" NPT	T-Filter, Fem x Fem, 15 Micron

Standard: 15 Micron, Option: 0,5 - 2 - 7 - 60 - 90 Micron
Other Connection: DK-Lok mm & Inch, Mixed.



GEM CHECK VALVES

TYPE: VU SERIES

Part. no	Pressure	Connection	Description
VU-G2C	500 BAR	1/4" BSPP	Cracking pressure 0,5 BAR
VU-G3C	500 BAR	3/8" BSPP	Cracking pressure 0,5 BAR
VU-G4C	500 BAR	1/2" BSPP	Cracking pressure 0,5 BAR
VU-G6C	400 BAR	3/4" BSPP	Cracking pressure 0,5 BAR
VU-G8C	350 BAR	1" BSPP	Cracking pressure 0,5 BAR
VU-G10C	350 BAR	1-1/4" BSPP	Cracking pressure 1 BAR
VU-G12C	350 BAR	1-1/2" BSPP	Cracking pressure 1 BAR
VU-G16C	250 BAR	2" BSPP	Cracking pressure 1 BAR

**GEM CHECK VALVES**

TYPE: VU SERIES

Part. no	Pressure	Connection	Description
VU-N2C	500 BAR	1/4" NPT	Cracking pressure 0,5 BAR
VU-N3C	500 BAR	3/8" NPT	Cracking pressure 0,5 BAR
VU-N4C	500 BAR	1/2" NPT	Cracking pressure 0,5 BAR
VU-N6C	400 BAR	3/4" NPT	Cracking pressure 0,5 BAR
VU-N8C	350 BAR	1" NPT	Cracking pressure 0,5 BAR
VU-N10C	350 BAR	1-1/4" NPT	Cracking pressure 1 BAR
VU-N12C	350 BAR	1-1/2" NPT	Cracking pressure 1 BAR
VU-N16C	250 BAR	2" NPT	Cracking pressure 1 BAR
VU-G2C	500 BAR	1/4" BSPP	Cracking pressure 0,5 Bar
VU-G3C	500 BAR	3/8" BSPP	Cracking pressure 0,5 BAR
VU-G4C	500 BAR	1/2" BSPP	Cracking pressure 0,5 Bar
VU-G6C	400 BAR	3/4" BSPP	Cracking pressure 0,5 BAR
VU-G8C	350 BAR	1" BSPP	Cracking pressure 0,5 BAR
VU-G10C	350 BAR	1-1/4" BSPP	Cracking pressure 1 Bar
VU-G12C	350 BAR	1-1/2" BSPP	Cracking pressure 1 Bar
VU-G16C	250 BAR	2" BSPP	Cracking pressure 1 Bar

4

**TOGNELLA CHECK VALVES**

TYPE: FT257/6 SERIES

Part. no	Pressure	Connection	Description
FT257/6-G1C*	400 BAR	1/8" BSPP	Cracking pressure*
FT257/6-G2C*	400 BAR	1/4" BSPP	Cracking pressure*
FT257/6-G3C*	400 BAR	3/8" BSPP	Cracking pressure*
FT257/6-G4C*	400 BAR	1/2" BSPP	Cracking pressure*
FT257/6-G6C*	400 BAR	3/4" BSPP	Cracking pressure*
FT257/6-G8C*	400 BAR	1" BSPP	Cracking pressure*
FT257/6-G10C*	400 BAR	1-1/4" BSPP	Cracking pressure*
FT257/6-G12C*	320 BAR	1-1/2" BSPP	Cracking pressure*
FT257/6-G16C*	320 BAR	2" BSPP	Cracking pressure*

*Tilgjengelige fjærer er. 0,35 BAR / 2 BAR / 4 BAR / 6 BAR / 8 BAR / 10 BAR

**SHUTTLE VALVE**

TYPE: VUSF

Part. no	Pressure	Connection	Description
GEV-G2C	250 BAR	1/4" BSP	Veksel ventil
GEV-G3C	250 BAR	3/8" BSP	Veksel ventil
GEV-G4C	250 BAR	1/2" BSP	Veksel ventil
GEV-G6C	250 BAR	3/4" BSP	Veksel ventil
GEV-G8C	250 BAR	1" BSP	Veksel ventil



Y-STRAINER THREADED 800 PSI - 316

TYPE: YS800 SERIES

Part. no	Pressure	Connection	Description
YS800-NS40-008	40 BAR	1/4" NPT	Filter 40 Mesh
YS800-NS40-010	40 BAR	3/8" NPT	Filter 40 Mesh
YS800-NS40-015	40 BAR	1/2" NPT	Filter 40 Mesh
YS800-NS40-020	40 BAR	3/4" NPT	Filter 40 Mesh
YS800-NS40-025	40 BAR	1" NPT	Filter 40 Mesh
YS800-NS40-032	40 BAR	1-1/4" NPT	Filter 40 Mesh
YS800-NS40-040	40 BAR	1-1/2" NPT	Filter 40 Mesh
YS800-NS40-050	40 BAR	2" NPT	Filter 40 Mesh
YS800-NS40-065	40 BAR	2-1/2" NPT	Filter 40 Mesh
YS800-NS40-080	40 BAR	3" NPT	Filter 40 Mesh
YS800-NS120-008	40 BAR	1/4" NPT	Filter 120 Mesh
YS800-NS120-010	40 BAR	3/8" NPT	Filter 120 Mesh
YS800-NS120-015	40 BAR	1/2" NPT	Filter 120 Mesh
YS800-NS120-020	40 BAR	3/4" NPT	Filter 120 Mesh
YS800-NS120-025	40 BAR	1" NPT	Filter 120 Mesh
YS800-NS120-032	40 BAR	1-1/4" NPT	Filter 120 Mesh
YS800-NS120-040	40 BAR	1-1/2" NPT	Filter 120 Mesh
YS800-NS120-050	40 BAR	2" NPT	Filter 120 Mesh
YS800-PS40-008	40 BAR	1/4" BSPP	Filter 40 Mesh
YS800-PS40-010	40 BAR	3/8" BSPP	Filter 40 Mesh
YS800-PS40-015	40 BAR	1/2" BSPP	Filter 40 Mesh
YS800-PS40-020	40 BAR	3/4" BSPP	Filter 40 Mesh
YS800-PS40-025	40 BAR	1" BSPP	Filter 40 Mesh
YS800-PS40-032	40 BAR	1-1/4" BSPP	Filter 40 Mesh
YS800-PS40-040	40 BAR	1-1/2" BSPP	Filter 40 Mesh
YS800-PS40-050	40 BAR	2" BSPP	Filter 40 Mesh
YS800-PS40-065	40 BAR	2-1/2" BSPP	Filter 40 Mesh
YS800-PS40-080	40 BAR	3" BSPP	Filter 40 Mesh
YS800-PS120-008	40 BAR	1/4" BSPP	Filter 120 Mesh
YS800-PS120-010	40 BAR	3/8" BSPP	Filter 120 Mesh
YS800-PS120-015	40 BAR	1/2" BSPP	Filter 120 Mesh
YS800-PS120-020	40 BAR	3/4" BSPP	Filter 120 Mesh
YS800-PS120-025	40 BAR	1" BSPP	Filter 120 Mesh
YS800-PS120-032	40 BAR	1-1/4" BSPP	Filter 120 Mesh
YS800-PS120-040	40 BAR	1-1/2" BSPP	Filter 120 Mesh
YS800-PS120-050	40 BAR	2" BSPP	Filter 120 Mesh

**SWING CHECK VALVE - 316**

TYPE: SC200 SERIES

Part. no	Pressure	Connection	Description
SC200-NS-015	13 BAR	1/2" NPT	Swing type
SC200-NS-020	13 BAR	3/4" NPT	Swing type
SC200-NS-025	13 BAR	1" NPT	Swing type
SC200-NS-032	13 BAR	1-1/4" NPT	Swing type
SC200-NS-040	13 BAR	1-1/2" NPT	Swing type
SC200-NS-050	13 BAR	2" NPT	Swing type
SC200-PS-015	13 BAR	1/2" BSPP	Swing type
SC200-PS-020	13 BAR	3/4" BSPP	Swing type
SC200-PS-025	13 BAR	1" BSPP	Swing type
SC200-PS-032	13 BAR	1-1/4" BSPP	Swing type
SC200-PS-040	13 BAR	1-1/2" BSPP	Swing type
SC200-PS-050	13 BAR	2" BSPP	Swing type

**INLINE BOLTED CHECK VALVE -316**

TYPE: WA002T

Part. no	Pressure	Connection	Description
WA002T-NS-008	40 BAR	1/4" NPT	Cracking pressure 0,02 BAR
WA002T-NS-010	40 BAR	3/8" NPT	Cracking pressure 0,02 BAR
WA002T-NS-015	40 BAR	1/2" NPT	Cracking pressure 0,02 BAR
WA002T-NS-020	40 BAR	3/4" NPT	Cracking pressure 0,02 BAR
WA002T-NS-025	40 BAR	1" NPT	Cracking pressure 0,02 BAR
WA002T-NS-032	40 BAR	1-1/4" NPT	Cracking pressure 0,03 BAR
WA002T-NS-040	40 BAR	1-1/2" NPT	Cracking pressure 0,03 BAR
WA002T-NS-050	40 BAR	2" NPT	Cracking pressure 0,03 BAR
WA002T-NS-080	40 BAR	3" NPT	Cracking pressure 0,03 BAR
WA002T-NS-100	40 BAR	4" NPT	Cracking pressure 0,03 BAR
WA002T-PS-008	40 BAR	1/4" BSPP	Cracking pressure 0,02 BAR
WA002T-PS-010	40 BAR	3/8" BSPP	Cracking pressure 0,02 BAR
WA002T-PS-015	40 BAR	1/2" BSPP	Cracking pressure 0,02 BAR
WA002T-PS-020	40 BAR	3/4" BSPP	Cracking pressure 0,02 BAR
WA002T-PS-025	40 BAR	1" BSPP	Cracking pressure 0,02 BAR
WA002T-PS-032	40 BAR	1-1/4" BSPP	Cracking pressure 0,03 BAR
WA002T-PS-040	40 BAR	1-1/2" BSPP	Cracking pressure 0,03 BAR
WA002T-PS-050	40 BAR	2" BSPP	Cracking pressure 0,03 BAR
WA002T-PS-080	40 BAR	3" BSPP	Cracking pressure 0,03 BAR
WA002T-PS-100	40 BAR	4" BSPP	Cracking pressure 0,03 BAR



PISTON Y-TYPE CHECK VALVES - 316

TYPE: YSP800 (800 PSI)

Part. no	Pressure	Connection	Description
YSP800-NS-015	40 BAR	1/2" NPT	Cracking 2 PSI
YSP800-NS-020	40 BAR	3/4" NPT	Cracking 2 PSI
YSP800-NS-025	40 BAR	1" NPT	Cracking 2 PSI
YSP800-NS-032	40 BAR	1-1/4" NPT	Cracking 2 PSI
YSP800-NS-040	40 BAR	1-1/2" NPT	Cracking 2 PSI
YSP800-NS-050	40 BAR	2" NPT	Cracking 2 PSI
YSP800-PS-015	40 BAR	1/2" BSPP	Cracking 2 PSI
YSP800-PS-020	40 BAR	3/4" BSPP	Cracking 2 PSI
YSP800-PS-025	40 BAR	1" BSPP	Cracking 2 PSI
YSP800-PS-032	40 BAR	1-1/4" BSPP	Cracking 2 PSI
YSP800-PS-040	40 BAR	1-1/2" BSPP	Cracking 2 PSI
YSP800-PS-050	40 BAR	2" BSPP	Cracking 2 PSI



INLINE CHECK VALVE - 316

TYPE: V33 SERIES

Part. no	Pressure	Connection	Description
V33A-F-2N-*-S	206 BAR	1/8" NPT	Cracking pressure *
V33B-F-4N-*-S	206 BAR	1/4" NPT	Cracking pressure *
V33C-F-6N-*-S	206 BAR	3/8" NPT	Cracking pressure *
V33D-F-8N-*-S	206 BAR	1/2" NPT	Cracking pressure *
V33E-F-12N-*-S	137 BAR	3/4" NPT	Cracking pressure *
V33F-F-16N-*-S	137 BAR	1" NPT	Cracking pressure *
V33A-D-6M-*-S	206 BAR	6mm DK-LOK	Cracking pressure *
V33B-D-10M-*-S	206 BAR	10mm DK-LOK	Cracking pressure *
V33C-D-12M-*-S	206 BAR	12mm DK-LOK	Cracking pressure *
V33A-D-2T-*-S	206 BAR	1/8" DK-LOK	Cracking pressure *
V33A-D-4T-*-S	206 BAR	1/4" DK-LOK	Cracking pressure *
V33B-D-6T-*-S	206 BAR	3/8" DK-LOK	Cracking pressure *
V33C-D-8T-*-S	206 BAR	1/2" DK-LOK	Cracking pressure *
V33E-D-12T-*-S	137 BAR	3/4" DK-LOK	Cracking pressure *
V33F-D-16T-*-S	137 BAR	1" DK-LOK	Cracking pressure *

* Option cracking press: 1/3, 1, 3, 5, 10, 25, 50, 75 & 100 PSI

**INLINE CHECK VALVES - 316**

TYPE: VH36 SERIES

Part. no	Pressure	Connection	Description
VH36A-F-4N-*-S	413 BAR	1/4" NPT	Cracking pressure *
VH36B-F-6N-*-S	413 BAR	3/8" NPT	Cracking pressure *
VH36B-F-8N-*-S	413 BAR	1/2" NPT	Cracking pressure *
VH36C-F-12N-*-S	345 BAR	3/4" NPT	Cracking pressure *
VH36C-F-16N-*-S	345 BAR	1" NPT	Cracking pressure *
VH36A-F-4G-*-S	413 BAR	1/4" BSPP	Cracking pressure *
VH36B-F-6G-*-S	413 BAR	3/8" BSPP	Cracking pressure *
VH36B-F-8G-*-S	413 BAR	1/2" BSPP	Cracking pressure *
VH36A-D-6M-*-S	413 BAR	6mm DK-LOK	Cracking pressure *
VH36B-D-8M-*-S	413 BAR	8mm DK-LOK	Cracking pressure *
VH36B-D-10M-*-S	413 BAR	10mm DK-LOK	Cracking pressure *
VH36B-D-12M-*-S	413 BAR	12mm DK-LOK	Cracking pressure *
VH36C-D-25M-*-S	345 BAR	25mm DK-LOK	Cracking pressure *
VH36A-D-2T-*-S	413 BAR	1/8" DK-LOK	Cracking pressure *
VH36A-D-4T-*-S	413 BAR	1/4" DK-LOK	Cracking pressure *
VH36B-D-6T-*-S	413 BAR	3/8" DK-LOK	Cracking pressure *
VH36B-D-8T-*-S	413 BAR	1/2" DK-LOK	Cracking pressure *
VH36C-D-12T-*-S	345 BAR	3/4" DK-LOK	Cracking pressure *
VH36C-D-16T-*-S	345 BAR	1" DK-LOK	Cracking pressure *

* Option crack press: 1/3, 1, 3, 5, 10, 25, 50, 75 & 100 PSI

**INLINE CHECK VALVES - 316**

TYPE: FT257/6 SERIES

Part. no	Pressure	Connection	Description
FT2257/6-G2S-*BAR	400 BAR	1/4" BSPP	Cracking pressure *
FT2257/6-G3S-*BAR	400 BAR	3/8" BSPP	Cracking pressure *
FT2257/6-G4S-*BAR	400 BAR	1/2" BSPP	Cracking pressure *
FT2257/6-G6S-*BAR	400 BAR	3/4" BSPP	Cracking pressure *
FT2257/6-G8S-*BAR	400 BAR	1" BSPP	Cracking pressure *

* Option crack press: 0,35 BAR/2 BAR/4 BAR/6 BAR/8 BAR/10 BAR



HYDRAULIC CHECK VALVE - 316

TYPE: VU SERIES

Part. no	Pressure	Connection	Description
VU-N2S	500 BAR	1/4" NPT	Cracking pressure 0,5 Bar
VU-N3S	500 BAR	3/8" NPT	Cracking pressure 0,5 Bar
VU-N4S	500 BAR	1/2" NPT	Cracking pressure 0,5 Bar
VU-N6S	400 BAR	3/4" NPT	Cracking pressure 0,5 Bar
VU-N8S	350 BAR	1" NPT	Cracking pressure 0,5 Bar
VU-N10S	350 BAR	1-1/4" NPT	Cracking pressure 1 Bar
VU-N12S	350 BAR	1-1/2" NPT	Cracking pressure 1 Bar
VU-N16S	250 BAR	2" NPT	Cracking pressure 1 Bar
VU-G2S	500 BAR	1/4" BSPP	Cracking pressure 0,5 Bar
VU-G3S	500 BAR	3/8" BSPP	Cracking pressure 0,5 Bar
VU-G4S	500 BAR	1/2" BSPP	Cracking pressure 0,5 Bar
VU-G6S	400 BAR	3/4" BSPP	Cracking pressure 0,5 Bar
VU-G8S	350 BAR	1" BSPP	Cracking pressure 0,5 Bar
VU-G10S	350 BAR	1-1/4" BSPP	Cracking pressure 1 Bar
VU-G12S	350 BAR	1-1/2" BSPP	Cracking pressure 1 Bar
VU-G16S	250 BAR	2" BSPP	Cracking pressure 1 Bar



INLINE CHECK VALVES - 316

TYPE: EC SERIES

Part. no	Pressure	Connection	Description
EC2NS	690 BAR	1/4" NPT	Cracking 8 PSI
EC3NS	690 BAR	3/8" NPT	Cracking 8 PSI
EC4NS	690 BAR	1/2" NPT	Cracking 12 PSI
EC6NS	690 BAR	3/4" NPT	Cracking 12 PSI
EC8NS	690 BAR	1" NPT	Cracking 12 PSI
EC2PS	690 BAR	1/4" BSPP	Cracking 8 PSI
EC3PS	690 BAR	3/8" BSPP	Cracking 8 PSI
EC4PS	690 BAR	1/2" BSPP	Cracking 12 PSI
EC6PS	690 BAR	3/4" BSPP	Cracking 12 PSI
EC8PS	690 BAR	1" BSPP	Cracking 12 PSI



INLINE CHECK VALVES - 316

TYPE: HIP 41 SERIES SOFT SEAT

Part. no	Pressure	Connection	Description
15-41NFB-T	15 000 PSI	1/4" NPT	Seat Buna-N
15-41NFC-T	15 000 PSI	3/8" NPT	Seat Buna-N
15-41NFD-T	15 000 PSI	1/2" NPT	Seat Buna-N
20-41LF4-T	20 000 PSI	1/4" MP	Seat Buna-N
20-41LF6-T	20 000 PSI	3/8" MP	Seat Buna-N
20-41LF9-T	20 000 PSI	9/16" MP	Seat Buna-N
20-41LF12-T	20 000 PSI	3/4" MP	Seat Buna-N
20-41LF16-T	20 000 PSI	1" MP	Seat Buna-N, Material 17-4PH

Available in Taper Seal & High Pressure.



INLINE CHECK VALVES - 316

T HIP 41 SERIES BALL CHECK

Part. no	Pressure	Connection	Description
15-41NFB	15 000 PSI	1/4" NPT	Ball Check
15-41NFC	15 000 PSI	3/8" NPT	Ball Check
15-41NFD	15 000 PSI	1/2" NPT	Ball Check
20-41LF4	20 000 PSI	1/4" MP	Ball Check
20-41LF6	20 000 PSI	3/8" MP	Ball Check
20-41LF9	20 000 PSI	9/16" MP	Ball Check
20-41LF12	20 000 PSI	3/4" MP	Ball Check
20-41LF16	20 000 PSI	1" MP	Ball Check, Material 17-4PH

Available in Taper Seal & High Pressure.

CLASSIC FILTER

TYPE: FILTERS IN 316. LOW AND HIGH PRESSURE

